

Message

**From:** Werner, Lora [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=921F9F156035403FA605C142A287CC1A-LWERNE02]  
**Sent:** 10/29/2017 6:02:41 PM  
**To:** ran2@cdc.gov [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=03bbfb4721134794ba6e837cee3f0dd3-ran2@cdc.gov]  
**CC:** Edge, Charles (ATSDR/DTHHS/OD) [ibd7@cdc.gov]; Markiewicz, Karl [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=a9af7eaacbc41d8a469eb1f11183ad6-Kmarkiew]  
**Subject:** Re: Abstract and Website Info Ames Warehouse

I like yours though!! But does yours need to more clearance to share though?

And AQI part of EPA blurb is a placeholder from our review of prior instantaneous readings. Need to confirm with new spreadsheet what would be accurate to say. I am finally at a desktop. Trying to decipher. Couple other tweaks to their write up also needed I think.

Sent from my iPhone

On Oct 29, 2017, at 1:55 PM, Nickle, Richard (ATSDR/DTHHS/OD) <ran2@cdc.gov> wrote:

I'm ok with the language. I think it overstates the degree of the threat due to the transient nature of the spikes, but that may not be a bad thing.

---

**From:** Werner, Lora S. (CDC [epa.gov](http://epa.gov))  
**Sent:** Sunday, October 29, 2017 1:35 PM  
**To:** Nickle, Richard (ATSDR/DTHHS/OD) <ran2@cdc.gov>; Edge, Charles (ATSDR/DTHHS/OD) <ibd7@cdc.gov>; Markiewicz, Karl (EPA) (CDC [epa.gov](http://epa.gov)) <Markiewicz.Karl@epa.gov>  
**Subject:** Fwd: Abstract and Website Info Ames Warehouse

I am trying to revive my access to oscnet right now.

Sent from my iPhone

Begin forwarded message:

**From:** "Duffy, Jessica" <Duffy.Jessica@epa.gov>  
**Date:** October 29, 2017 at 1:21:22 PM EDT  
**To:** "schafer, joan" <schafer.joan@epa.gov>, "Werner, Lora" <Werner.Lora@epa.gov>  
**Cc:** "Burns, Francis" <Burns.Fran@epa.gov>, "Lindsey, Deborah" <Lindsey.Deborah@epa.gov>, "Wenning, Stephanie" <Wenning.Stephanie@epa.gov>, "Linden, Melissa" <linden.melissa@epa.gov>, "Wagner, Christine" <Wagner.Christine@epa.gov>, "Gross, Bonnie" <Gross.bonnie@epa.gov>  
**Subject:** Abstract and Website Info

Joan,  
I've attached the narrative we worked on together for the website abstract. Please remember to note that the data associated with ASPECT imagery, AreaRae monitoring, and VOC sampling with summa canisters is planning to be presented at a later date.

The link to the website is [response.epa.gov/AmesWarehouseFire](http://response.epa.gov/AmesWarehouseFire)

Please remind HQ folks that they will need to be logged into [response.epa.gov](https://response.epa.gov) to access this site since it is set to private. They can email [ERT\\_Support@epa.gov](mailto:ERT_Support@epa.gov) or call 1-800-999-6990 to get an account set up. ERT Support is staffed 24-hrs a day, but keep in mind, they are currently probably busy with hurricane response stuff so they may not answer immediately.

Lora,

Please note that the section you drafted for us at the end of the abstract has changed a bit. Let us know if you have any issues with the changes that were made.

Thank you,

*Jessica Duffy*

Emergency Planner

USEPA Region 3

HSCD - Office of Preparedness and Response

1650 Arch Street (3HS33)

Philadelphia, PA 19103

Office: 215-814-3212

Cell: 267-666-9251

[duffy.jessica@epa.gov](mailto:duffy.jessica@epa.gov)